

5426/ak

0320  
"PATENT APPLICATION"

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

BORIS REYDEL ET AL

U.S. Serial No. 09/915,296

APPLICATION BRANCH

Filed: July 27, 2001

Confirmation No. 6091

ANTI-CONSTIPATION METHOD  
AND DEVICE

Alexandria, Virginia  
October 12, 2001

Honorable Commissioner of Patents and Trademarks  
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sir:

In response to the Notice to File Corrected Application Papers mailed September 7, 2001 (copy attached), applicants are submitting herewith three (3) sheets of formal drawings containing nine (9) Figures for filing in the above identified application. The attached drawings merely formalize the drawings as filed. No new matter has been added. Acceptance of the formal drawings is requested.

Respectfully submitted,

BORIS REYDEL ET AL

By

*Mary J. Breiner*  
MARY J. BREINER, Attorney  
Registration No. 33,161  
115 North Henry Street  
P.O. Box 19290  
Alexandria, Virginia 22320-0290

Telephone (703) 684-6885

Attachments - 09/07/01 Notice to File Corrected Papers  
- Formal Drawings (3 sheets/9 Figures)



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/915,296	07/27/2001	Boris Reydel	5426

CONFIRMATION NO. 6091

## FORMALITIES LETTER



\*OC00000006523525\*

Breiner & Breiner, L.L.C.  
P.O. Box 19290  
Alexandria, VA 22320-0290

Date Mailed: 09/07/2001



## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice MUST be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE